



Växthusfolie Scandinavian Sun Clear Crystal

The new crystal clear, very strong and uv-b
open greenhouse film



Product description	uv stable, 60 months in central Europe climatic conditions, seasonal use even longer							
Colour	crystal clear							
Thickness	180μ (tolerance +/- 5%, spot +/- 20%)							
Tensile Strength	EN ISO 527-3				MD 26 N/mm²		TD 28 N/mm²	
Elongation at break	EN ISO 527-3				MD 550%		TD 650%	
Dart drop	ISO 7765-1 (A)				Fold: >1000		flat:>1000	
Total transmission	EN 2155-5				>91% (400-700nm)			
UV B transmission	Internal Test				>60 %(300-390nm)			
Light Diffusion	EN 2155-9				app. 18% (400-700nm)			
S/CL resistance	700/100 ppm							
Breiten (m)	6,50	8,00	10,00	12,00	14,30	16,00		
Length (m)	As required							

Postadress:

TRÄDGÅRDSTEKNIK AB
Helsingborgsvägen 578, Varalöv
262 96 ÄNGELHOLM

Telefon : 0431-222 90
Bg.nr : 5743-7980
Org.nr : 556409-6120

URL:

www.tradgardsteknik.se
E-postadress:
info@tradgardsteknik.se